Author Index

ABBOT A.P., *see* MANDEL T.E.
ACOSTA ALTAMIRANO G., *see* LEMAÎTRE-COELHO ISABEL.
ADA G.L., *see* LEUNG K.N.
ADU HANNAH O., *see* CURTIS JILL.
ALARCÓN-SEGOVIA D., *see* LLERENA J.M.
ALBERTI S., *see* LUINI W.
ALEOTTI A., *see* LUINI W.
ALLARDYCE R.A., *see* LINDSAY VALERIE J.
AN T., HYMES ANTHANETTA J. & O'NEAL C.H. Natural clusterings of Fc receptors on human neutrophils—not affected by the cytoskeletal reagents, 503
ANDREW JULIA A., *see* STRELKAUSKAS A.J.
ASANO T., *see* SUGIMOTO M.
ASHERSON G.L., *see* PERERA M.A.C.C.
AUCLAIR LINDA K., *see* WATSON SUSAN R.

BADENOCH-JONES P., ROUVEIX B. & TURK J.L. Absorption of macrophage aggregating factor by guinea-pig peritoneal exudate cells, 67
BALKWILL FRANCES R., *see* HOGG NANCY.
BANDU MARIE-THÉRÈSE, *see* RONCO P.
BARNETT E.V., *see* CHIA D.
BARRANCO-ACOSTA CLAUDIA, *see* LEMAÎTRE-COELHO ISABEL.
BARTHOLOMAEUS W.N., REED W.D., JOSKE R.A. & SHILKIN K.B. Autoantibody responses to liver-specific lipoprotein in mice, 219
BAZIN H., *see* MEDGYESI G.A.
BEAULIEU R., *see* PIROFSKY B.
BEFUS A., *see* MIRSKI SHELAGH E.
BERNARD C.C.A., RANDELL VIVIEN B., HORVATH LEONIE B., CARNEGIE P.R. & MACKAY I.R. Antibody to myelin basic protein in extracts of multiple sclerosis brain, 447
BIENENSTOCK J., *see* MIRSKI SHELAGH E.
BOLEN J.B. & TRIBBLE J.L. Delayed hypersensitivity to *Staphylococcus aureus* in mice: characterization of a membrane immunogen involved in delayed hypersensitivity, 619
BORASCHI DIANA, *see* LUINI W.
BRICKELL P.M., MCCONNELL I., MILSTEIN C. & WRIGHT B. A monoclonal antibody to the HLA-DR product recognizes a polymorphic Ia determinant in mice, 493
BROCK J., *see* HORMAECHE C.E.
BROCK J.H. The effect of iron and transferrin on the response of serum-free cultures of mouse lymphocytes to Concanavalin A and lipopolysaccharide, 387
BROCK J.H. & RANKIN M. CAROLE. Transferrin binding and iron uptake by mouse lymph node cells during transformation in response to Concanavalin A, 393
BROOM B.C., *see* CROSIER P.S.
BROOM B.C., *see* CROSIER P.S.

CALLERY R.T., *see* STRELKAUSKAS A.J.
CAMMISULI S. & SCHREIER M.H. Individual clones of carrier-specific T cells help idiotypically and isotypically heterogeneous anti-hapten B-cell responses, 581
CARAUX J., *see* KLEIN B.
CARNEGIE P.R., *see* BERNARD C.C.A.
CARNES W.H., *see* CHIA D.
CARTER B.G., *see* PEETERS SUZANNE H.
CAUSSE A., *see* KLEIN B.
CECKA M., *see* KONTIAINEN SIRKKA.
CHARLEMAGNE J., *see* DESVAUX F.-X.
CHATURVEDI U.C., SHUKLA MANOHAR INDRA, MATHUR K.R. & MATHUR ASHA. Dengue virus-induced cytotoxic factor suppresses immune response of mice to sheep erythrocytes, 311
CHIA D., LEVY L., BARNETT E.V. & CARNES W.H. Effects of pulse cyclophosphamide on NZB/W disease, 57
CIHAK J., ZIEGLER H.W. & KOLSCH E. Regulation of immune responses against the syngeneic ADJ-PC-5 plasmacytoma in BALB/c mice. I. Analysis of immune parameters involved, 133
CIHAK J., ZIEGLER H.W. & KÖLSCH E. Regulation of immune response against the syngeneic ADJ-PC-5 plasmacytoma in BALB/c mice. II. Suppression of T-cell cytotoxicity by pretreatment of mice with subimmunogenic doses of tumour cells, 145
COESHOTT C.M., *see* ELSON C.J.
COLE P.J., *see* WILLIAMS A.J.
COLLINS F.M., *see* WATSON SUSAN R.
COOMBS R.R.A., *see* DAVIES K.
CREIGHTON W.D., *see* KREEB GERLINDE.
CROSIER P.S. & BROOM B.C. Regulation of human cytotoxic lymphocyte responses. I. Non-cytolytic suppression mediated by alloantigen-activated cells, 11
CROSIER P.S. & BROOM B.C. Regulation of human cytotoxic lymphocyte responses. II. Suppression by a soluble factor produced by primed lymphocytes, 19
CULBERT E.J., *see* KONTIAINEN SIRKKA.
CURTIS JILL, ADU HANNAH O. & TURK J.L. A lack of correlation between antigen-specific cellular reactions and resistance to *Mycobacterium lepraemurium* infection in mice, 293

DAHA M.R. & VAN ES A. Enhanced alternative complement pathway-dependent degradation of soluble immunoglobulin aggregates by macrophages, 513
DAHA M.R. & VAN ES L.A. Stabilization of homologous and heterologous cell-bound amplification convertases C3bBb, by C3 nephritic factor, 33
DAHA M.R., *see* KIJLSTRA A.
DAVIES G.H., *see* PIROFSKY B.
DAVIES K., WILSON A.B. & COOMBS R.R.A. Interaction of antibody-aggregated C4 and guinea-pig red cells: coagglutination phenomenon of Bordet and Gengou, 699
DAWKINS H.J.S. & GROVE D.I. Transfer by serum and cells of resistance to infection with *Strongyloides ratti* in mice, 317
DESVAUX F.-X. & CHAREMAGNE J. The goldfish immune response. I. Characterization of the humoral response to particulate antigens, 755
DIAMANTSTEIN T., KLOS M. & REIMANN J. Studies on T-lymphocyte activation. I. Is competence induction in

thymocytes by phorbol myristate acetate an accessory cell-independent event? 183
DÍAZ-JOUANEN E., *see* LLERENA J.M.
DONACHIE ANNE M., *see* WAKELIN D.
DONNAN G.G., *see* NEKAM K.
DWYER J.M., *see* PARKER D.

EADY R.P., *see* PRITCHARD D.I.
ELSON C.J. & COESHOTT C.M. Tolerance to allotypic determinants induced by lymphoid cells from congenic mice bearing the allotype, 281
EMERY D.L., EUGUI ELSIE M., NELSON R.T. & TENYWA T. Cell-mediated immune responses to *Theileria parva* (East Coast fever) during immunization and lethal infections in cattle, 323
EUGUI ELSIE M., *see* EMERY D.L.
EZINE SOPHIE & PAPIERNIK MARTINE. Impairment of antibody response and of suppressor cell ontogenesis by early injection of hydrocortisone, 535

FAHRENKROG MARIA C., *see* HORMAECHE C.E.
FELDMANN M., *see* KONTIAINEN SIRKKA.
FORD P.M. & KOSATKA IVA. A mechanism of enhancement of immune complex deposition following *in situ* immune complex formation in the mouse glomerulus, 433
FORMAN D., *see* MCKAY I.C.
FOX P.C. & SIRAGANIAN R.P. IgE antibody suppression following aerosol exposure to antigens, 227
FRANK DIANE, *see* ST. CHARLES MARIE-HÉLÈNE C.
FUDENBERG H.H., *see* NEKAM K.
FUSON E.W., *see* LAMON E.W.
FÜST G., *see* MEDGYESI G.A.

GABRIELSEN ANN E., *see* OLSEN CAROL T.
GAUCI L., *see* KLEIN B.
GELL P.G.H., *see* NASH A.A.
GERGELY J., *see* MEDGYESI G.A.
GOUST J.M., *see* NEKAM K.
GREENE M.I., *see* NOONAN FRANCES P.
GROVE D.I., *see* DAWKINS H.J.S.
GUILLON J.C., *see* RONCO P.
GUNTHER E., *see* MAJOOR G.D.

HANNAM-HARRIS ANNE C. & SMITH J.L. Free immunoglobulin light chain synthesis by human foetal liver and cord blood lymphocytes, 417
HERLIN T. & KRAGBALLE K. Transient cyclic AMP accumulation during antibody-dependent cytotoxicity mediated by monocytes and neutrophils, 771
HEYWORTH M.F. Effects of anti-lymphocytic globulin in human subjects, 793
HIRSCH R.L. Natural killer cells appear to play no role in recovery of mice from Sindbis virus infection, 81
HOFHUIS F.M.A., VAN DER MEER C., KERSTEN M.C.M., RUTTEN V.P.M.G. & WILLERS J.M.N. Effects of dimethyldioctadecylammonium bromide on phagocytosis and digestion of Listeria monocytogenes by mouse peritoneal macrophages, 425
HOGG NANCY & BALKWILL FRANCES R. Species restriction in cytostatic activity of human and murine monocytes and macrophages, 197
HOLMES P.H., *see* MACASKILL J.A.
HOLT P.G., *see* LANGDON W.Y.
HOOK W.A. & SIRAGANIAN R.P. Influence of anions, cations and osmolarity on IgE-mediated histamine release from human basophils, 723
HOPKINS J., MCCONNELL I. & RANIWALLA J. Antigen-induced non-specific suppressor factor in sheep efferent lymph is prostaglandin E_2, 205
HOPPER K., *see* MEHTA K.
HORMAECHE C.E., FAHRENKROG MARIA C., PETTIFOR R.A. & BROCK J. Acquired immunity to *Salmonella typhimurium* and delayed (footpad) hypersensitivity in BALB/c mice, 547
HORN W., OPFERKUCH W. & PODACK E.R. Suppression of the anti-erythrocyte immune response in mice by the C5b-9 complex of complement, 303
HORVATH LEONIE B., *see* BERNARD C.C.A.
HOWARD C.J., *see* TAYLOR GERALDINE.
HYMES ANTHANETTA J., *see* AN T.

ILKIW J.E., *see* ROSE, R.J.

JENNINGS F.W., *see* MACASKILL J.A.
JOHNSON AUDREY D., *see* MCNICHOLAS JANET M.
JONES S.E. & RUBEN L.N. Internal histoincompatability during amphibian metamorphosis?, 741
JOSKE R.A., *see* BARTHOLOMAEUS W.N.
JUNGI T.W. & PEPYS M.B. Delayed hypersensitivity reactions to *Listeria monocytogenes* in rats decomplemented with cobra factor and in C5-deficient mice, 271

KAKINUMA M., ONOÉ K., OKADA M., KIMURA T., KATO K., OKUYAMA H., MORIKAWA K. & YAMAMOTO K. Failure of C3H mice to develop lung granuloma after intravenous injection of BCG cell wall vaccine. Demonstration of a defect in lymphoid cells, 1
KANAI Y. & SUGIMURA T. Comparative studies on antibodies to poly(ADP-ribose) in rabbits and patients with systemic lupus erythematosus, 101
KATO H., *see* KAKINUMA M.
KEREN D.F., *see* MUTCHNICK M.G.
KERSTEN M.C.M., *see* HOFHUIS F.M.A.
KIJLSTRA A., VAN ES L.A. & DAHA M.R. Enhanced degradation of soluble immune complexes by guinea-pig peritoneal macrophages in the presence of complement, 345
KIMURA T., *see* KAKINUMA M.
KLAUS G.G.B., *see* KUNKL ANNALISA.
KLEIN B., CARAUX J., THIERRY C., GAUCI L. & SERROU B. Human T-lymphocyte colonies: generation of colonies in different lymphocyte subpopulations, 39
KLOS M., *see* DIAMANTSTEIN T.
KNIGHT KATHERINE L., *see* MCNICHOLAS JANET M.
KOCHAN I., *see* MELENCAMP M.W.
KÖLSCH E., *see* CIHAK J.
KÖNIG W., *see* MÖLLER G.
KONTIAINEN SIRKKA, CULBERT E.J., CECKA M., SIMPSON ELIZABETH, MCKENZIE I.F.C. & FELDMANN M. T-cell hybridomas producing hapten-specific suppressor factors, 747
KOSATKAIVA IVA, *see* FORD P.M.
KRAFT D., *see* RUMPOLD H.
KRAGBALLE K., *see* HERLIN T.
KREEB GERLINDE, CREIGHTON W.D. & ZINKERNAGEL R.M.

Suppression of the generation of secondary virus-specific proliferative and cytotoxic T lymphocytes by suppressor cells induced during primary anti-viral sensitization *in vitro*, 47

KRIPKE MARGARET L., *see* NOONAN FRANCES P.

KULICS JUDIT, *see* MEDGYESI G.A.

KUNKL ANNALISA & KLAUS G.G.B. The generation of memory cells. IV. Immunization with antigen–antibody complexes accelerates the development of B-memory cells, the formation of germinal centres and the maturation of antibody affinity in the secondary response, 371

LAMON E.W., POLLOK B.A., WALIA A.S., FUSON E.W. & WILLIAMS BARBARA. Murine T cells that lyse antibody-sensitized target cells. III. Contribution of Thy 1-bearing cells to the lytic activity of normal spleens, 643

LANGDON W.Y., HOLT P.G. & SHELLAM G.R. Antigen-pulsed macrophage monolayers as specific immunoabsorbents: selective absorption of murine T cells committed to soluble protein antigen, 555

LEMAÎTRE-COELHO ISABEL, ACOSTA ALTAMIRANO G., BARRANCO-ACOSTA CLAUDIA, MEYKENS R. & VAERMAN J.-P. *In vivo* experiments involving secretory component in the rat hepatic transfer of polymeric IgA from blood into bile, 261

LEVY L., *see* CHIA D.

LIM T.S., MESSIHA NADIA & WATSON R.R. Immune components of the intestinal mucosae of ageing and protein deficient mice, 401

LINDSAY VALERIE J. & ALLARDYCE R.A. Studies on the mechanism of rat natural cellular cytotoxicity and its inhibition by normal rat serum, 125

LLERENA J.M., RUÍZ-ARGÜELLES A., ALARCÓN-SEGOVIA D., LLORENTE L. & DÍAZ-JOUANEN E. Antibody penetration into living cells. V. Interference between two Fcγ receptor-mediated functions: antibody penetration and antibody-dependent cellular cytotoxicity, 249

LLORENTE L., *see* LLERENA J.M.

LOMNITZER RUTH & RABSON A.R. Mechanism of suppression of lymphocyte proliferation by Concanavalin A-activated mononuclear cells, 475

LOOK A.T., SCHRIBER T.J., NAWROCKI J.F. & MURPHY W.H. Computer simulation of the cellular immune response to malignant lymphoid cells: logic of approach, model design and laboratory verification, 677

LOPÉZ A.F., STRATH M. & SANDERSON C.J. IgG and complement receptors on purified mouse eosinophils and neutrophils, 779

LUINI W., BORASCHI DIANA, ALBERTI S., ALEOTTI A. & TAGKUAVUE A. Morphological characterization of a cell population responsible for natural killer activity, 663

MCCABE MARTHA A., *see* MELLENCAMP M.W.

MACASKILL J.A., HOLMES P.H., JENNINGS F.W. & URQUHART G.M. Immunological clearance of ^{75}Se-labelled *Trypanosoma brucei* in mice, 691

MCCONNELL I., *see* BRICKELL P.M.

MCCONNELL I., *see* HOPKINS J.

MCDERMOTT M.R., *see* MIRSKI SHELAGH E.

MCKAY I.C., FORMAN D. & WHITE R.G. A comparison of fluorescein isothiocyanate and lissamine rhodamine (RB200) as labels for antibody in the fluorescent antibody technique, 591

MACKAY I.R., *see* BERNARD C.C.A.

MCKENZIE I.F.C., *see* KONTIAINEN SIRKKA.

MCNICHOLAS JANET M., WATKINS J.R., JOHNSON AUDREY D. & KNIGHT KATHERINE L. Functional studies of rabbit T lymphocytes, 635

MAJOOR G.D., VAN DE GAAR MARIE-JOSÉ W.H., VAN BREDA VRIESMAN P.J.C. & GUNTHER E. Rat erythrocytes elicit antibody formation against RT1.A region-determined antigens in allogeneic recipients, 467

MAK N.K., *see* LEUNG K.N.

MALAVÉ INÉS, *see* POCINO MARISOL.

MANDEL T.E., PHIPPS R.P., ABBOT A.P. & TEW J.G. Long-term antigen retention by dendritic cells in the popliteal lymph node of immunized mice, 353

MATHEI U. & STRUNK R.C. Binding of aggregated human gamma globulin by Raji cells: C1q will enhance only if it is dissociated from the C1 macromolecular complex, 287

MATHUR ASHA, *see* CHATURVEDI U.C.

MATSUMOTO T., *see* YOSHIKAI Y.

MEDGYESI G.A., MIKLÓS KATA, KULICS JUDIT, FÜST G., GERGELY J. & BAZIN H. Classes and subclasses of rat antibodies: reaction with the antigen and interaction of the complex with the complement system, 171

MEHTA K., SINDHU R.K., SUBRAHMANYAM D., HOPPER K., NELSON D.S. & RAO C.K. Antibody-dependent cell-mediated effects in bancroftian filariasis, 117

MELLENCAMP M.W., MCCABE MARTHA A. & KOCHAN I. The growth-promoting effect of bacterial iron for serum-exposed bacteria, 483

MESSIHA NADIA, *see* LIM T.S.

MEYKENS R., *see* LEMAÎTRE-COELHO.

MIAKE S., *see* YOSHIKAI Y.

MIKLÓS KATA, *see* MEDGYESI G.A.

MILSTEIN C., *see* BRICKELL P.M.

MIRSKI SHELAGH E., MCDERMOTT M.R., BEFUS D. & BIENENSTOCK J. Selective localization of mesenteric lymphoblasts in mucosal tissues: effects of altering the number of donor lymphoblasts, 669

MÖLLER G. & KÖNIG W. Binding parameters of defined immune complexes to rat basophilic leukaemia (RBL) cells, 255

MOREL-MAROGER LILIANE, *see* RONCO P.

MORIKAWA K., *see* KAKINUMA M.

MURPHY W.H., *see* LOOK A.T.

MUTCHNICK M.G. & DEREN D.F. *In vitro* synthesis of antibody to specific bacterial lipopolysaccharide by peripheral blood mononuclear cells from patients with alcoholic cirrhosis, 183

NASH A.A., GELL P.G.H. & WILDY P. Tolerance and immunity in mice infected with herpes simplex virus: simultaneous induction of protective immunity and tolerance to delayed type hypersensitivity, 153

NASH A.A., PHELAN J., GELL P.G.H. & WILDY P. Tolerance and immunity in mice infected with herpes simplex virus: studies on the mechanism of tolerance to delayed-type hypersensitivity, 363

NAWROCKI J.F., *see* LOOK A.T.

NEKAM K., STRELKAUSKAS A.J., FUDENBERG H.H., DONNAN G.G. & GOUST J.M. Evidence for the presence of a low molecular-weight activator of suppressor monocytes (LASM) in dialysates of T lymphocytes, 75

NELSON D.S., *see* MEHTA K.
NELSON R.T., *see* EMERY D.L.
NOMOTO K., *see* YOSHIKAI Y.
NOONAN FRANCES P., KRIPKE MARGARET L., PEDERSON GAIL M. & GREENE M.I. Suppression of contact hypersensitivity in mice by ultraviolet irradiation is associated with defective antigen presentation, 527

OHTANI H., SAKAGUCHI K. & SAITO M. Immunochemical studies on heterogeneity of IgD myeloma protein, 717
OKADA H. & OKADA NORIKO. Sendai virus infected cells are readily cytolysed by guinea-pig complement without antibody, 337
OKADA M., *see* KAKINUMA T.
OKADA NORIKO, *see* OKADA H.
OKUYAMA H., *see* KAKINUMA M.
OLSEN CAROL T., TEAGUE P.O. & GABRIELSEN ANN E. Late treatment of murine lupus erythematosus with dactinomycin. II. Cl and antibody to DNA, 213
O'NEAL C.H., *see* AN T.
ONOÉ K., *see* KAKINUMA M.
OPFERKUCH W., *see* HORN W.
OZER H., *see* STRELKAUSKAS A.J.

PAPIERNIK MARTINE, *see* EZINE SOPHIE
PARKER D., DWYER J.M. & TURK J.L. The effect of cyclophosphamide and role of suppressor cells in the desensitization of delayed hypersensitivity, 191
PEDERSEN GAIL M., *see* NOONAN FRANCES P.
PEETERS SUZANNE H. & CARTER B.G. Regulation of the IgE antibody response in mice. II. Radioresistance of established IgE antibody production, 25
PEPYS M.B., *see* JUNGI T.W.
PERERA M.A.C.C. & ASHERSON G.L. Effect of adult thymectomy on the contact sensitivity skin reaction and the unresponsiveness caused by feeding contact sensitizing agents, 613
PETTIFOR R.A., *see* HORMAECHE C.E.
PHELAN J., *see* NASH A.A.
PHIPPS R.P., *see* MANDEL T.E.
PIROFSKY B., BEAULIEU R. & DAVIES G.H. Inhibition of lymphocyte growth by Ulex seed extracts (USE), 653
POCINO MARISOL & MALAVÉ INÉS. Enhancement of the *in vitro* antibody response in dietary protein restriction. Failure in the regulation of antibody synthesis, 235
PODACK E.R., *see* HORN W.
POLAK L., *see* SCHEPET R.J.
POLLOK B.A., *see* LAMON E.W.
PRITCHARD D.I. & EADY R.P. Eosinophilia in athymic nude (rnu/rnu) rats—thymus-independent eosinophilia? 409

RABSON A.R., *see* LOMNITZER RUTH.
RANDELL VIVIEN B., *see* BERNARD C.C.A.
RANIWALLA J., *see* HOPKINS J.
RANKIN M. CAROLE, *see* BROCK J.H.
RAO C.K., *see* MEHTA K.
REDMAN C.W.G., *see* SUNDERLAND C.A.
REED W.D., *see* BARTHOLOMAEUS W.N.
REIMANN J., *see* DIAMANTSTEIN T.
RIVIERE Y., *see* RONCO P.
RONCO P., RIVIÈRE Y., THOUA YVETTE, BANDU MARIE-THÉRÈSE, GUILLON J.C., VERROUST P. & MOREL-MAROGER LILIANE. Lymphocytic choriomeningitis infection in the nude mouse. An immunopathological study, 763
ROUVEIX B., *see* BADENOCH-JONES.
RUBEN L.N., *see* JONES S.E.
RUÍZ-ARGUELLES A., *see* LLERENA J.M.
RUMPOLD H., WIEDERMANN G., SCHEINER O., KRAFT D. & STEMBERGER H. Lack of evidence for IgM-induced ADCC: studies with monoclonal and polyclonal antibodies, 161
RUTTEN V.P.M.G., *see* HOFHUIS F.M.A.

SAITO M., *see* OHTANI H.
SAKAGUCHI K., *see* OHTANI H.
SANDERSON C.J., SEE LOPÉZ A.F.
SCHEINER O., *see* RUMPOLD H.
SCHEPER R.J. & POLAK L. Characterization of lymphocyte subpopulations which exhibit enhanced DNA synthesis *in vitro* in DNFB contact sensitive guinea-pigs, 563
SCHREIER M.H., *see* CAMMISULI S.
SCHRIBER T.J., *see* LOOK A.T.
SERROU B., *see* KLEIN B.
SHELDON DIANNE, *see* TAYLOR W.A.
SHELLAM G.R., *see* LANGDON W.Y.
SHILKIN K.B., *see* BARTHOLOMAEUS W.N.
SHUKLA MANOHAR INDRA, *see* CHATURVEDI U.C.
SIMPSON ELIZABETH, *see* KONTIAINEN SIRKKA.
SINDHU R.K., *see* MEHTA K.
SIRAGANIAN R.P., *see* HOOK W.A.
SIRAGANIAN R.P., *see* FOX P.C.
SMITH J.L., *see* HANNAM-HARRIS ANNE C.
SMITH W.G., USINGER W.R. & SPLITTER G.A. Bovine Con A-induced suppressor cells: generation, macrophage requirements and possible mechanisms of regulatory action, 91
SNIPPE H., *see* VAN HOUTE A.J.
SPICER J.W., *see* TAYLOR W.A.
SPLITTER G.A., *see* SMITH W.G.
SPITZ M., *see* FOSSATI C.A.
ST. CHARLES MARIE-HÉLÈNE C., FRANK DIANE & TANNER C.E. The depressed response of spleen cells from rats infected by *Trypanosoma lewisi* in producing a secondary response *in vitro* to sheep erythrocytes and the ability of soluble products of the trypanosome to induce this depression, 441
STANWORTH D.R., *see* RICHES D.W.M.
STEMBERGER H., *see* RUMPOLD H.
STIRRAT G.M., *see* SUNDERLAND C.A.
STRATH M., *see* LOPÉZ A.F.
STRELKAUSKAS A.J., ANDREW JULIA A., CALLERY R.T. & OZER H. Effects of functionally-distinct T-cell subsets on the maturation of null cells in man, 379
STRELKAUSKAS A.J., *see* NEKAM K.
STRUNK R.C., *see* MANTHEI U.
SUBRAHMANYAM D., *see* MEHTA K.
SUGIMOTO M., YASUDA T. & ASANO T. Asymmetric division of lymphoid cells of the thymus of embryonic guinea-pigs. A cell kinetic study, 707
SUGIMURA T., *see* KANAI Y.
SUNDERLAND C.A., REDMAN C.W.G. & STIRRAT G.M. Monoclonal antibodies to human syncytiotrophoblast, 541
SUNDQVIST K.-G. & WANGER L. Anchorage and lymphocyte

function. II. Contact with non-cellular surfaces, cell density and T-cell activation, 573

TAGLIABUE A., *see* LUINI W.
TAKEYA K., *see* YOSHIKAI Y.
TANNER C.E., *see* ST. CHARLES MARIE-HÉLÈNE C.
TAYLOR GERALDINE & HOWARD C.J. Protection of mice against *Mycoplasma pulmonis* infection using purified mouse immunoglobulins: comparison between protective effect and biological properties of immunoglobulin classes, 519
TEAGUE P.O., *see* OLSEN CAROL T.
TENYWA T., *see* EMERY D.L.
TEW J.G., *see* MANDEL T.E.
THIERRY C., *see* KLEIN B.
THOUA YVETTE, *see* RONCO P.
TRIBBLE J.L., *see* BOLEN J.B.
TURK J.L., *see* BADENOCH-JONES P.
TURK J.L., *see* CURTIS JILL.
TURK J.L., *see* PARKER D.

URQUHART G.M., *see* MACASKILL J.A.
USINGER W.R., *see* SMITH W.G.

VAERMAN J.-P., *see* LEMAÎTRE-COELHO ISABEL.
VAN BREDA VRIESMAN P.J.C., *see* MAJOOR G.D.
VAN DE GAAR MARIE-JOSÉ W.H., *see* MAJOOR G.D.
VAN DER MEER C., *see* HOFHUIS F.M.A.
VAN ES L.A., *see* DAHA M.R.
VAN ES A., *see* DAHA M.R.
VAN ES L.A., *see* KUILSTRA A.
VAN HOUTE A.J., SNIPPE H. & WILLERS J.M.N. Characterization of immunogenic properties of haptenated liposomal model membranes in mice, 627
VERROUST P., *see* RONCO P.

WAKELIN D. & DONACHIE ANNE M. Genetic control of immunity to *Tichinella spiralis*. Donor bone marrow cells determine responses to infection in mouse radiation chimaeras, 787
WALIA A.S., *see* LAMON E.W.
WANGER L., *see* SUNDQVIST K.-G.
WARD KATHERINE N. Helper activity of T lymphocytes which have been stimulated to keyhole limpet haemocyanin *in vitro*, 111
WATKINS J.R., *see* MCNICHOLAS JANET M.
WATSON R.R., *see* LIM T.S.
WATSON SUSAN R., AUCLAIR LINDA K. & COLLINS F.M. The effect of combined chemotherapy on suppressor T-cell activity in *Mycobacterium simiae*-infected mice, 459
WHITE R.G., *see* MCKAY I.C.
WIEDERMANN G., *see* RUMPOLD H.
WILDY P., *see* NASH A.A.
WILDY P., *see* NASH A.A.
WILLERS J.M.N., *see* HOFHUIS F.M.A.
WILLERS J.M.N., *see* VAN HOUTE A.J.
WILLIAMS A.J. & COLE P.J. The onset of polymorphonuclear leucocyte membrane-stimulated metabolic activity, 733
WILLIAMS BARBARA, *see* LAMON E.W.
WILSON ANNE B., *see* DAVIES K.
WRIGHT B., *see* BRICKELL P.M.

YAMAMOTO K., *see* KAKINUMA M.
YASUDA T., *see* SUGIMOTO M.
YOSHIKAI Y., MIAKE S., MATSUMOTO T., NOMOTO K. & TAKEYA K. Effect of stimulation and blockade of mononuclear phagocyte system on the induction of suppressor T cells of delayed footpad reaction to SRBC in mice, 241

ZIEGLER H.W., *see* CIHAK J.
ZINKERNAGEL R.M., *see* KREEB GERLINDE.

Subject Index

ADCC, IgM-induced, lack of evidence for: studies with monoclonal and polyclonal antibodies, 161

Alloantigen-activated cells, I. Non-cytolytic suppression mediated by. Regulation of human cytotoxic lymphocyte responses, 11

Allotypic determinants induced by lymphoid cells from congenic mice bearing the allotype, 281

AMP accumulation, transient cyclic, during antibody dependent cytotoxicity mediated by monocytes and neutrophils, 771

Amphibian metamorphosis, internal histoincompatability during?, 000

Antibodies, classes and subclasses of rat: reaction with antigen and interaction of complex with complement system, 171

Antibodies, monoclonal, to human syncytiotrophoblast, 541

Antibodies to poly(ADP-ribose) in rabbits and patients with systemic lupus erythematosus, comparative studies on, 101

Antibodies, studies with monoclonal and polyclonal. Lack of evidence for IgM-induced ADCC, 161

Antibody affinity, maturation of, in secondary response. The generation of memory cells. IV. Immunization with antigen–antibody complexes accelerates development of B-memory cells, formation of germinal centres and, 371

Antibody-aggregated C4, interaction of, and guinea-pig red cells: co-agglutination phenomenon of Bordet and Gengou, 699

Antibody-dependent cell-mediated effects in bancroftian filariasis, 117

Antibody-dependent cellular cytotoxicity, V. Interference between two Fcγ receptor-mediated functions: antibody penetration and. Antibody penetration into living cells, 249

Antibody-dependent cytotoxicity mediated by monocytes and neutrophils, transient cyclic AMP accumulation during, 771

Antibody to DNA, C1 and. Late treatment of murine lupus erythematosus with dactinomycin. II, 213

Antibody formation against RT1.A region-determined antigens in allogeneic recipients, rat erythrocytes elicit, 467

Antibody to myelin basic protein in extracts of multiple sclerosis brain, 447

Antibody, monoclonal, to HLA-Dr product recognizes polymorphic Ia determinant in mice, 493

Antibody response, impairment of suppressor cell ontogenesis by early injection of hydrocortisone, 535

Antibody-sensitized target cells, murine T cells that lyse. III. Contribution of Thy 1-bearing cells to the lytic activity of normal spleen, 643

Antibody to specific baterial lipopolysaccharide, *in vitro* synthesis of, by peripheral blood mononuclear cells from patients with alcoholic cirrhosis, 177

Antibody suppression, IgE, following aerosol exposure to antigens, 227

Antibody synthesis, failure in regulation of. Enhancement of *in vitro* antibody response in dietary protein restriction, 235

Antibody technique, fluorescent, a comparison of fluorescein isothiocyanate and lissamine rhodamine (RB 200) as labels for antibody in the, 591

Antigen–antibody complexes, immunization with, accelerates development of B-memory cells, formation of germinal centres and maturation of antibody affinity in secondary response. The generation of memory cells. IV, 371

Antigen-induced non-specific suppressor factor in sheep efferent lymph is prostaglandin E_2, 205

Antigens, particulate, I. Characterization of the humoral response to. The goldfish immune response, 755

Antigen presentation, defective, suppression of contact hypersensitivity in mice by ultraviolet irradiation is associated with, 527

Antigen-pulsed macrophage monolayers as specific immunoabsorbents: selective absorption of murine T cells committed to soluble protein antigen, 555

Antigen, reaction with the, and interaction of complex with complement system. Classes and subclasses of rat antibodies, 171

Antigen retention, long-term, by dendritic cells in popliteal lymph node of immunized mice, 353

Antigen-specific cellular reactions, a lack of correlation between, and resistance to *Mycobacterium lepraemurium* infection in mice, 293

Antigens, IgE antibody suppression following aerosol exposure to, 227

Antigens, RT1.A region-determined, rat erythrocytes elicit antibody formation against, in allogeneic recipients, 467

Asymmetric division of lymphoid cells of the thymus of embryonic guinea-pigs. A cell kinetic study, 707

Autoantibody responses to liver-specific lipoprotein in mice, 219

B-cell responses, idiotypically and isotypically heterogeneous anti-hapten, individual clones of carrier-specific T cells help, 581

B-memory cells, development of, immunization with antigen–antibody complexes accelerates, formation of germinal centres and maturation of antibody affinity in secondary response. The generation of memory cells. IV, 371

Bacterial iron, growth-promoting effect of, for serum-exposed bacteria, 483

Bancroftian filariasis, antibody-dependent cell-mediated effects in, 117

Basophils, human, influence of anions, cations and osmolarity on IgE-mediated histamine release from, 723

BCG cell wall vaccine, failure of C3H mice to develop lung

granuloma after intravenous injection of. Demonstration of a defect in lymphoid cells, 1
Blood lymphocytes, cord, free immunoglobulin light chain synthesis by human foetal liver and, 417
Bone marrow cells, donor, determine responses to infection in mouse radiation chimaeras. Genetic control of immunity to *Trichinella spiralis*, 787

C1 macromolecular complex, binding of aggregated human gamma globulin by Raji cells: C1q will enhance only if it dissociated from the, 287
C3bBb, stabilization of homologous and heterologous cell-bound amplification convertases, by C3 nephritic factor, 33
C4, antibody-aggregated, interaction of, and guinea-pig red cells: coagglutination phenomenon of Bordet and Gengou, 699
C5-deficient mice, delayed hypersensitivity reactions to Listeria monocytogenes in rats decomplemented with cobra factor and in, 271
C5b-9 complex of complement, suppression of the anti-erythrocyte immune response in mice by the, 303
Cell kinetic study. Asymmetric division of lymphoid cells of the thymus of embryonic guinea-pigs, 707
Chimaeras, mouse radiation, donor bone marrow cells determine responses to infection in. Genetic control of immunity to *Trichinella spiralis*, 787
Cirrhosis, alcoholic, *in vitro* synthesis of antibody to specific bacterial lipopolysaccharide by peripheral blood mononuclear cells from patients with, 177
Coagglutination phenomenon of Bordet and Gengou, interaction of antibody-aggregated C4 and guinea-pig red cells, 699
Cobra factor, delayed hypersensitivity reactions to *Listeria monocytogenes* in rats decomplemented with, and in C5-deficient mice, 271
Complement, enhanced degradation of soluble immune complexes by guinea-pig peritoneal macrophages, in presence of, 345
Complement, guinea-pig without antibody, Sendai virus cells are readily cytolysed by, 337
Complement receptors, IgG and, on purified mouse eosinophils and neutrophils, 779
Complement system, reaction with the antigen and interaction of complex with, classes and subclasses of rat antibodies, 171
Computer simulation of cellular immune response to malignant lymphoid cells: logic of approach, model design and laboratory verification, 677
Con A-induced suppressor cells, bovine: generation, macrophage requirements and possible mechanisms of regulatory action, 91
Concanavalin A and lipopolysaccharide, effect of iron and transferrin on response of serum-free cultures of mouse lymphocytes to, 387
Concanavalin A, transferrin binding and iron uptake by mouse lymph node cells during transformation in response to, 393
Contact hypersensitivity in mice, suppression of, by ultraviolet irradiation is associated with defective antigen presentation, 527
Contact sensitivity skin reaction, effect of adult thymectomy on, and unresponsiveness caused by feeding contact sensitizing agents, 613
Cyclophosphamide, effect of, and role of suppressor cells in desensitization of delayed hypersensitivity, 191
Cyclophosphamide, pulse, effects of, on NZB/W disease, 57
Cytostatic activity of human and murine monocytes and macrophages, species restriction in, 197
Cytotoxic factor, dengue virus-induced, suppresses immune response of mice to sheep erythrocytes, 311
Cytotoxic T lymphocytes, suppression of generation of secondary virus-specific proliferative and, by suppressor cells induced during primary anti-viral sensitization *in vitro*, 47
Cytotoxicity, rat natural cellular, studies on mechanism of, and its inhibition by normal rat serum, 125

Delayed (footpad) hypersensitivity in BALB/c mice, acquired immunity to Salmonella tryphimurium and, 547
Delayed hypersensitivity, effect of cyclophosphamide and role of suppressor cells in desensitization of, 191
Delayed hypersensitivity reactions to *Listeria monocytogenes* in rats decomplemented with cobra factor and in C5-deficient mice, 271
Delayed hypersensitivity to *Staphylococcus aureus* in mice: characterization of a membrane immunogen involved in delayed hypersensitivity, 619
Delayed-type hypersensitivity, studies on mechanism of tolerance to, tolerance and immunity in mice infected with herpes simplex virus, 363
Delayed-type hypersensitivity, tolerance and immunity in mice infected with herpes simplex virus: simultaneous induction of protective immunity and tolerance to, 153
Dendritic cells in popliteal lymph node of immunized mice, long-term antigen retention by, 353
Dengue virus-induced cytotoxic factor suppresses immune response of mice to sheep erythrocytes, 311
Dimethyldioctadecylammonium bromide, effects of, on phagocytosis and digestion of *Listeria monocytogenes* by mouse peritoneal macrophages, 425
DNA synthesis, enhanced, *in vitro* in DNFB contact sensitive guinea-pigs, characterization of lymphocyte subpopulations which exhibit, 563
DNFB contact sensitive guinea-pigs, characterization of lymphocyte subpopulations which exhibit enhanced DNA synthesis *in vitro* in, 563

Eosinophilia in athymic nude (rnu/rnu) rats—thymus-independent eosinophilia? 409
Eosinophils, purified mouse, and neutrophils, IgG and complement receptors on, 779
Erythrocyte, anti-immune response in mice by the C5b-9 complex of complement, suppression of, 303
Erythrocytes, rat, elicit antibody formation against RT1.A region-determined antigens in allogeneic recipients, 467
Erythrocytes, sheep, dengue virus-induced cytotoxic factor suppresses immune response of mice to, 311
Erythrocytes, sheep, depressed response of spleen cells from rats infected by *trypanosoma lewisi* in producing a secondary response *in vitro* to, and ability of soluble products of trypanosome to induce this depression, 441

Fc receptors on human neutrophils—not affected by cytoskeletal reagents, natural clusterings of, 503
Fcγ receptor-mediated functions, V. Interference between two: antibody penetration and antibody-dependent cellular cytotoxicity. Antibody penetration into living cells, 249
Fluorescein isothiocyanate and lissamine rhodamine (RB 200), comparison of, as labels for antibody in the fluorescent antibody technique, 591
Footpad reaction, delayed, to SRBC in mice, effect of stimulation and blockade of mononuclear phagocyte system on the induction of suppressor T cells of, 241

Gamma globulin, aggregated human, binding of, by Raji cells: C1q will enhance only if it is dissociated from the C1 macromolecular complex, 287
Globulin, anti-lymphocytic, effects of, in human subjects, 793

Hepatic transfer, rat, of polymeric IgA from blood into bile. *In vivo* experiments involving secretory component in the, 261
Herpes simplex virus, tolerance and immunity in mice infected with, simultaneous induction of protective immunity and tolerance to delayed-type hypersensitivity, 153
Herpes simplex virus, tolerance and immunity in mice infected with: studies on mechanism of tolerance to delayed-type hypersensitivity, 363
Heterogeneity of IgD myeloma proteins, immunochemical studies on, 717
Histamine release (IgE-mediated, from human basophils, influence of anions, cations and osmolarity on, 723
Histoincompatability, internal, during amphibian metamorphosis?, 741
Human foetal liver, free immunoglobulin light chain synthesis by, and cord blood lymphocytes, 417

Ia determinant, polymorphic, in mice, monoclonal antibody to HLA-DR product recognizes, 493
IgA, polymeric, *in vivo* experiments involving secretory component in the rat hepatic transfer of, from blood into bile, 261
IgD myeloma proteins, immunochemical studies on heterogeneity of, 717
IgE antibody response in mice. II. Radioresistance of established IgE antibody production. Regulation of, 25
IgE antibody suppression following aerosol exposure to antigens, 227
IgE-mediated histamine release from human basophils, influence of anions, cations and osmolarity on, 723
IgG and complement receptors on purified mouse eosinophils and neutrophils, 779
IgM-induced ADCC, lack of evidence: studies with monoclonal and polyclonal antibodies, 161
Immune complex deposition, a mechanism of enhancement of, following *in situ* immune complex formation in mouse glomerulus, 433
Immune complex formation, *in situ*, in mouse glomerulus. A mechanism of enhancement of immune complex deposition following, 433
Immune complexes to rat basophilic leukaemia (RBL) cells, binding parameters of defined, 255
Immune components of the intestinal mucosae of ageing and protein deficient mice, 401
Immune response, cellular to malignant lymphoid cells, computer simulation of: logic of approach, model design and laboratory verification, 677
Immune response, goldfish. I. Characterization of the humoral response to particulate antigens, 755
Immune responses, cell-mediated to *Theileria parva* (East Coast fever) during immunization and lethal infections in cattle, 323
Immunoglobulin aggregates, enhanced alternative complement pathway-dependent degradation of soluble, by macrophages, 513
Immunoglobulin light chain synthesis, free, by human foetal liver and cord blood lymphocytes, 417
Immunoglobulins, purified mouse, protection of mice against *Mycoplasma pulmonis* infection using: comparison between protective effect and biological properties of immunoglobulin classes, 519
Immunological clearance of ^{75}Se-labelled *Trypanosoma brucei* in mice. III. Studies in animals with acute infections, 691
Inhibition by normal rat serum, studies on mechanism of rat natural cellular cytotoxicity and its, 125

Keyhole limpet haemocyanin *in vitro*, helper activity of T lymphocytes which have been stimulated by, 111

Leukaemia (RBL) cells, rat basophilic, binding parameters of defined, immune complexes to, 255
Lipopolysaccharide, effect of iron and transferrin on response of serum-free cultures of mouse lymphocytes to concanavalin A and, 387
Lipopolysaccharide, specific bacterial, *in vitro* synthesis of antibody to, by peripheral blood mononuclear cells from patients with alcoholic cirrhosis, 177
Lipoprotein, liver-specific, autoantibody responses to, in mice, 219
Liposomal model membranes in mice, characterization of immunogenic properties of hapenated, 627
Lissamine rhodamine (RB 200), comparison of fluorescein isothiocyanate and, as labels for antibody in the fluorescent antibody technique, 591
Listeria monocytogenes, delayed hypersensitivity reactions to, in rats decomplemented with cobra factor and in C5-deficient mice, 271
Listeria monocytogenes, effects of dimethyldioctadecylammonium bromide on phagocytosis and digestion of, by mouse peritoneal macrophages, 425
Lung granuloma, failure of C3H mice to develop, after intravenous injection of BCG cell wall vaccine. Demonstration of a defect in lymphoid cells, 1
Lupus erythematosus, murine, late treatment of, with dactinomycin. II. C1 and antibody to DNA, 213
Lupus erythematosus, systemic, comparative studies on antibodies to poly(ADP-ribose) in rabbits and patients with, 101
Lymph node cells, mouse, during transformation in response to Concanavalin A. Transferrin binding and iron uptake by, 393
Lymph node, popliteal, of immunized mice, long-term antigen retention by dendritic cells in, 353
Lymphoblasts mesenteric in mucosal tissues, selective locali-

zation of: effects of altering the number of donor lymphoblasts, 669
Lymphocyte colonies, human T-: generation of colonies in different lymphocyte subpopulations, 39
Lymphocyte function, anchorage and, II. Contact with non-cellular surfaces, cell density and T-cell activation, 573
Lymphocyte growth, inhibition of, by Ulex seed extracts (USE), 653
Lymphocyte proliferation, mechanism of suppression of, by Concanavalin A-activated mononuclear cells, 475
Lymphocyte responses, regulation of human cytotoxic. I. Non-cytolytic suppression mediated by alloantigen-activated cells, 11
Lymphocyte responses, regulation of human cytotoxic. II. Suppression by a soluble factor produced by primed lymphocytes, 19
Lymphocyte subpopulations which exhibit enhanced DNA synthesis *in vitro* in DNFB contact sensitive guinea-pigs, characterization of, 563
Lymphocytes, mouse, effect of iron and transferrin on response of serum-free cultures of, to Concanavalin A and lipopolysaccharide, 387
Lymphocytic choriomeningitis infection on the nude mouse. An immunopathological study, 763
Lymphocytic globulin, anti-, effects of, in human subjects, 793
Lymphoid cells, asymmetric division of, of the thymus of embryonic guinea-pigs. A cell kinetic study, 707
Lymphoid cells, demonstration of a defect in. Failure of C3H mice to develop lung granuloma after intravenous injection of BCG cell wall vaccine, 1
Lymphoid cells, malignant, computer simulation of cellular immune response to: logic of approach, model design and laboratory verification, 677
Lymphoid cells, tolerance to allotypic determinants induced by, from congenic mice bearing the allotype, 281

Macrophage aggregating factor, absorption of, by guinea-pig peritoneal exudate cells, 67
Macrophage monolayers, antigen-pulsed, as specific immunoabsorbents: selective absorption of murine T cells committed to soluble protein antigen, 555
Macrophages, enhanced alternative complement pathway-dependent degradation of soluble immunoglobulin aggregates by, 513
Macrophages, guinea-pig peritoneal, enhanced degradation of soluble immune complexes by, in presence of complement, 345
Macrophages, mouse peritoneal, effects of dimethyldioctadecylammonium bromide on phagocytosis and digestion of *Listeria monocytogenes* by, 425
Macrophages, species restriction in cytostatic activity of human and murine monocytes and, 197
Memory cells, generation of. IV. Immunization with antigen–antibody complexes accelerates development of B-memory cells, formation of germinal centres and maturation of antibody affinity in the secondary response, 373
Metabolic activity, onset of polymorphonuclear leucocyte membrane-stimulated, 733
Metamorphosis, amphibian, internal histoincompatability during?, 741
Monoclonal antibodies to human syncytiotrophoblast, 541
Monocytes, transient cyclic AMP accumulation during antibody-dependent cytotoxicity mediated by neutrophils, 771
Mononuclear cells, Concanavalin A-activated, mechanism of suppression of lymphocyte proliferation by, 475
Mononuclear phagocyte system, effect of stimulation and blockade of, on the induction of suppressor T cells of delayed footpad reaction to SRBC in mice, 241
Mucosae, intestinal, of ageing and protein deficient mice, immune components of the, 401
Multiple sclerosis brain, antibody to myelin basic protein in extracts of, 447
Mycobacterium lepraemurium infection in mice, a lack of correlation between antigen-specific cellular reactions and resistance to, 293
Mycobacterium simiae-infected mice, effect of combined chemotherapy on suppressor T-cell activity in, 459
Mycoplasma pulmonis infection, protection of mice against, using purified mouse immunoglobulins: comparison between protective effect and biological properties of immunoglobulin classes, 519
Myelin basic protein, antibody to, in extracts of multiple sclerosis brain, 447

Natural killer activity, morphological characterization of a cell population responsible for, 663
Natural killer cells appear to play no role in recovery of mice from Sindbis virus infection, 81
Nephritic factor C3, stabilization of homologous and heterologous cell-bound amplification convertases, C3bBb, by, 33
Neutrophils, human, natural clusterings of Fc receptors on, —not affected by cytoskeletal reagents, 503
Neutrophils, IgG and complement receptors on purified mouse eosinophils and, 779
Neutrophils, transient cyclic AMP accumulation during antibody-dependent cytotoxicity mediated by monocytes and, 771
Null cells, maturation of in man, effects of functionally-distinct T-cell subsets on, 379
NZB/W disease, effects of pulse cyclophosphamide on, 57

Peritoneal exudate cells, guinea-pig, absorption of macrophage aggregating factor by, 67
Phagocytosis and digestion of *Listeria monocytogenes* by mouse peritoneal macrophages, effects of dimethyldioctadecylammonium bromide on, 425
Plasmacytoma, syngeneic ADJ-PC-5, regulation of immune response against, in BALB/c mice. I. Analysis of immune parameters involved, 133
Plasmacytoma, syngeneic, ADJ-PC-5, regulation of immune response against, in BALB/c mice. II. Suppression of T-cell cytotoxicity by pretreatment of mice with subimmogeneic doses of tumour cells, 145
Poly(ADP-ribose), comparative studies on antibodies to, in rabbits and patients with systemic lupus erythematosus, 101
Polymorphonuclear leucocyte membrane-stimulated metabolic activity, onset of, 733
Prostaglandin E_2, antigen-induced suppressor factor in sheep efferent lymph is, 205

Raji cells, binding of aggregated human gamma globulin by:

C1q will enhance only if it is dissociated from the C1 macromolecular complex, 287

Salmonella typhirmurium, acquired immunity to, and delayed (footpad) hypersensitivity in BALB/c mice, 547
Sendai virus infected cells, readily cytolysed by guinea-pig complement without antibody, 337
Sindbis virus infection, natural killer cells appear to play no role in recovery of mice from, 81
Soluble immune complexes, enhanced degradation of, by guinea-pig peritoneal macrophages in the presence of complement, 345
Spleen cells, depressed response of, from rats infected by *Trypanosoma lewisi* in producing a secondary response *in vitro* to sheep erythrocytes and ability of soluble products of trypanosome to induce this depression, 441
Staphylococcus aureus in mice: characterization of a membrane immunogen involved in delayed hypersensitivity. Delayed hypersensitivity to, 619
Strongyloides ratti in mice, transfer by serum and cells of resistance to infection with, 317
Suppression of contact hypersensitivity in mice by ultraviolet irradiation is associated with defective antigen presentation, 527
Suppression of generation of secondary virus-specific proliferative and cytotoxic T lymphocytes by suppressor cells induced during primary anti-viral sensitization *in vitro*, 47
Suppression of lymphocyte proliferation by Concanavalin A-activated mononuclear cells, mechanism of, 475
Suppression, non-cytolytic, mediated by alloantigen-activated cells. Regulation of human cytotoxic lymphocyte responses. I, 11
Suppression by a soluble factor produced by primed lymphocytes. Regulation of human cytotoxic lymphocyte responses. II, 19
Suppressor cell ontogenesis, impairment of antibody response and of, by early injection of hydrocortisone, 535
Suppressor cells, bovine Con A-induced: generation, macrophage requirements and possible mechanisms of regulatory action, 91
Suppressor cells, effect of cyclophosphamide and role of, in desensitization of delayed hypersensitivity, 191
Suppressor factor, antigen-induced non-specific, in sheep efferent lymph is prostaglandin E_2, 205
Suppressor factors, T-cell hybridomas producing hapten-specific suppressor factors, 747
Suppressor monocytes (LASM), low molecular-weight activator of, in dialysates of T lymphocytes, evidence for presence of, 75
Suppressor T-cell activity in *Mycobacterium simiae*-infected mice, effect of combined chemotherapy on, 459
Suppressor T cells, effect of stimulation and blockade of mononuclear phagocyte system on the induction of, of delayed footpad reaction to SRBC in mice, 241
Syncytiotrophoblast, human, monoclonal antibodies to, 541

T-cell activation. Anchorage and lymphocyte function. II. Contact with non-cellular surfaces, cell density and, 573
T-cell cytotoxicity by pretreatment of mice with subimmonogenic doses of tumour cells. Regulation of immune response against syngeneic ADJ-PC-5 plasmacytoma in BALB/c mice. II, 145
T-cell hybridomas producing hapten-specific suppressor factors, 747
T-cell subsets, effects of functionally-distinct, on maturation of null cells in man, 379
T cells, individual clones of carrier-specific, help idiotypically and isotypically heterogeneous anti-hapten B-cell responses, 581
T cells, murine, committed to soluble protein antigen. Antigen-pulsed macrophage monolayers as specific immunoabsorbents: selective absorption of, 555
T cells, murine, that lyse antibody-sensitized cells. III. Contribution of Thy 1-bearing cells to the lytic activity of normal spleen, 643
T-lymphocyte activation, studies on. I. Is competence induction in thymocytes by phorbol myristate acetate, an accessory cell-independent event?, 183
T-lymphocyte colonies, human: generation of colonies in different lymphocyte subpopulations, 39
T lymphocytes, evidence for presence of a low molecular-weight activator of suppressor monocytes (LASM) in dialysates of, 75
T lymphocytes, functional studies of rabbit, 635
T lymphocytes, helper activity of, which have been stimulated by keyhole haemocyanin *in vitro*, 111
T lymphocytes, secondary virus-specific proliferative and cytotoxic, suppression of generation of, by suppressor cells induced during primary anti-viral sensitization *in vitro*, 47
Theileria parva (East Coast fever), cell-mediated during immunization and lethal infections in cattle, 323
Thymectomy, effect of adult, on contact sensitivity skin reaction and unresponsiveness caused by feeding contact sensitizing agents, 613
Thymocytes, I. Is competence induction in, by phorbol myristate acetate, an accessory cell-independent event? Studies on T-lymphocyte activation, 183
Thymus-independent eosinophilia? Eosinophilia in athymic nude (rnu/rnu) rats, 409
Tolerance to allotypic determinants induced by lymphoid cells from congenic mice bearing the allotype, 281
Trichinella spiralis, genetic control of immunity to. Donor bone marrow cells determine responses to infection in mouse radiation chimaeras, 787
Trypanosoma brucei ^{75}Se-labelled, immunological clearance of, in mice. III. Studies in animals with acute infections, 691
Trypanosoma lewisi, depressed response of spleen cells from rats infected by, in producing a secondary response *in vitro* to sheep erythrocytes and ability of soluble products of trypanosome to induce this depression, 441

Ulex seed extracts (USE), inhibition of lymphocyte growth by, 653